



## 2003 Model Information

MODEL CODE: **KLX250-J5**

MODEL NAME: **D-Tracker**



### MODEL CONCEPT

Kawasaki's D-Tracker is a Super Motard style dual purpose motorcycle that's ideal for battling urban traffic or enjoying a winding back country road.

The peppy KLX based engine delivers plenty of get up and go while the lightweight chassis and seventeen inch wheels mean the D-Tracker handles like a road racer.

Fully street legal the D-Tracker is the ideal bike for negotiating heavy traffic and cruising on the highway.

### MAIN FEATURES

#### Engine

- 249 cc, Single cylinder, develops smooth power from low to high rpm.
- Liquid-cooling keeps engine temperatures under control for greater durability.

- Reliable electric starting makes getting going a no fuss affair.
- The 6-speed transmission adds to the performance characteristics.
- Digital DC-CDI delivers a hot spark for complete combustion.

## Chassis

- Lightweight high tensile steel, semi-double cradle chassis offer excellent handling.
- 43 mm Upside-down front forks are 20 way adjustable for compression damping.
- Bottom link Uni-Trak remote with piggy-back reservoir for progressive action.
- Strong aluminium swingarm offer extra rigidity for excellent handling.
- Front and rear hydraulic disc brakes deliver strong reliable stopping power wet or dry.

## Other

- Small bikini fairing with 12 volt 60/55 watt headlamp for night riding.
- Digital instrumentation with speedometer, odometer, clock, tripmeter plus warning lights.

# SPECIFICATIONS

## Engine

Type:	4-stroke, Single
Displacement:	249cc
Bore x Stroke:	72 x 61.2 mm
Compression Ratio:	11.0:1
Valve System:	DOHC, 4-Valves
Cooling System:	Liquid
Carburettor:	Keihin CVK34
Ignition:	Electronic CDI
Starting:	Electric
Transmission:	5-Speed
Final Drive:	Chain

## Chassis

Frame Type		Semi double cradle, high tensile steel
Suspension:	Front	43mm upside-down telescopic fork
	Rear	Bottom link Uni-Trak
Rake (caster):		25.5 degrees
Trail:		74 mm
Tyre:	Front	110/70-17
	Rear	130/70-17
Brakes:	Front	Disc
	Rear	Disc

## Dimensions

Length:	2,065 mm
Width:	790 mm
Height:	1,175 mm
Wheelbase:	1,435 mm
Seat Height:	865 mm
Fuel Tank Capacity:	8 litres
Dry Weight:	118 kg

## Performance

Max Power	30 PS @ 8,500 rpm
Max Torque	25.5 Nm @ 7,500 rpm

Colour

Black/Silver

The specifications mentioned here apply to and have been achieved by production models under standard operating conditions.

We intend only to give a fair description of the vehicle and its performance capabilities but these specifications may not apply to every machine supplied for sale. Kawasaki Heavy Industries, Ltd. reserves the right to alter specifications without prior notice.

Equipment illustrated and specifications may vary to meet individual markets.